


**LEGEND**  
 \* = 0BCBA.....Cables specification  
 \*\* = 0CBFA.....Cables specification  
 \*\*\* = 0CBSA.....Cables specification

**GTEC** DOC. S.E. COD. SE-9APLBPF1-400B\_REV.01 PAG 1 / 6


OBJECT: SE LB400IGBTPF1 400k CABINET  
 EDITOR: F.MASTROPASQUA DATE: 13/06/2016 APPROVED: F.AMODEO  
 REPLACE: SE-9APLBPF1-400B\_REV.00  
 VARIATION: See page 6

COPY, REPRODUCTION. TRANSFER SHALL BE PURSUED ACCORDING TO LAW.



**LEGEND**  
 \* = 0CBCA.....Cables specification  
 \*\* = 0CBFA.....Cables specification  
 \*\*\* = 0CBSA.....Cables specification


<b>GTEC</b>		DOC. S.E.	COD. SE-9APLBPF1-400B_REV.01		PAG 2 / 6
OBJECT: SE LB400IGBTPF1 400k CABINET					
EDITOR: F.MASTROPASQUA		DATE: 13/06/2016	APPROVED: F.AMODEO		
REPLACE: SE-9APLBPF1-400B_REV.00					
VARIATION: See page 6					
COPY, REPRODUCTION. TRANSFER SHALL BE PURSUED ACCORDING TO LAW.					




**LEGEND**  
 \* = 0CBCA.....Cables specification  
 \*\* = 0CBFA.....Cables specification  
 \*\*\* = 0CBSA.....Cables specification

OBJECT: SE LB400IGBTPF1 400k CABINET  
 EDITOR: F.MASTROPASQUA DATE: 13/06/2016 APPROVED: F.AMODEO  
 REPLACE: SE-9APLBPF1-400B\_REV.00  
 VARIATION: See page 6






**OPTION PANEL**



On standard power supply card 9..2120.01:  
 1-Disconnect the standard cable code \*1108 from J2.  
 2-Connect the cable code \*1347.  
 3-Connect the cable code \*1108 previous disconnect



On standard i/p pfc dsp control card 9..2112.01:  
 1-Disconnect the standard cable code \*1110 from J14.  
 2-Connect the filter code 9APMHT019.  
 3-Connect the cable code \*1110 previous disconnect

**LEGEND**

\* = 0CBCA.....Cables specification  
 \*\* = 0CBFA.....Cables specification  
 \*\* = 0CBSA.....Cables specification

**GTEC** DOC. S.E. COD. SE-9APLBPF1-400B\_REV.01 PAG 5 / 6

OBJECT: SE LB400IGBTPF1 400k CABINET  
 EDITOR: F.MASTROPASQUA DATE: 13/06/2016 APPROVED: F.AMODEO  
 REPLACE: SE-9APLBPF1-400B\_REV.00  
 VARIATION: See page 6

COPY, REPRODUCTION. TRANSFER SHALL BE PURSUED ACCORDING TO LAW.

VARIATIONS:

- 16/01/2015-From SE-9APLBPF1-400A\_REV.00 to SE-9APLBPF1-400A\_REV.01:  
-Cables to J7 2108 card modified position from from DC bus bar(Page 2) to fuses F12-F13(Page 2).  
-Replaced filter 9APMPS274. with card 9...2137.02. on interface I/O option (page 5).
- 03/03/2016-From SE\_9APLBPF1-400A-REV.01 to SE\_9APLBPF1-400B\_REV.00:  
-Add fuse F22-F23-F24(sheet 1)  
-Replaced code of card 2077 and insert card 9..2142.05.(sheet 1)  
-Add card 9..2137.01.(sheet 4)
- 13/06/2016-From SE-9APLBPF1-400B\_REV.00 to SE-9APLBPF1-400B\_REV.01  
-Add cable 0CBSA0452A(sheet 1)

<b>GTEC</b>	DOC.	S.E.	COD.	SE-9APLBPF1-400B_REV.01	PAG 6 / 6
OBJECT: SE LB400IGBTPF1 400k CABINET					
EDITOR: F.MASTROPASQUA		DATE: 13/06/2016		APPROVED: F.AMODEO	
REPLACE: SE-9APLBPF1-400B_REV.00					
VARIATION: See page 6					
COPY, REPRODUCTION. TRANSFER SHALL BE PURSUED ACCORDING TO LAW.					